

Age	Ht	Wt	BMI	CARDIAC ☐ NRML ☐ Pacemaker ☐ AICD ☐ A Fib ☐ Hyperlipidemia ☐ CHF ☐ Stents ☐ MI ☐ CAD ☐ Stress test ☐ HTN ☐ Murmurs			
Diagnosis Free Text Entry				PULMONARY ☐ NRML ☐ Asthma ☐ SOB ☐ Tobacco use ☐ COPD ☐ CPAP ☐ Sleep apnea			
Procedure Free Text Entry				GI / HEPATIC ☐ NRML ☐ PONV risk ☐ Recreational drug use ☐ GERD ☐ Hepatitis ☐ EtOH			
Medications ☐ See MAR for list and doses				NEURO ☐ NRML ☐ Seizures ☐ Migraines ☐ Chronic pain ☐ CVA/TIA ☐ Neuropathy ☐ MS ☐ MG ☐ ALS			
Allergies ☐ None ☐ Latex ☐ PCN ☐ Sulfa				RENAL/GU ☐ NRML ☐ ARF ☐ Peritoneal dialysis ☐ CKD ☐ Hemodialysis		ENDOCRINE ☐ NRML ☐ DM ☐ Thyroid disease	
Surgical History ☐ None Prior anes comp: ☐ Yes ☐ No FHx of anes comp: ☐ Yes ☐ No				HEME/ONCOLOGY ☐ NRML ☐ Anemia ☐ Sickle cell ☐ Bleeding disorder ☐ Cancer			
Labs ☐ Labs checked WBC Hgb Hct Plt INR PT PTT HcG: ☐ Pos ☐ Neg Na K Cl CO2 BUN Cr Gluc GFR: _____ Alb: _____ Mg: _____ CXR: _____ EKG: _____ Echo: _____ Cath: _____				MUSCULOSKELETAL ☐ NRML ☐ RA ☐ Arthritis ☐ Hypotonia ☐ Fibromyalgia		PSYCHOSOCIAL ☐ NRML ☐ Bipolar ☐ Anxiety ☐ Depression ☐ PTSD ☐ Panic Disorder ☐ Schizophrenia ☐ ADD/ADHD	
PEDS ☐ NRML ☐ Prematurity ☐ Apnea				COMORBIDITY CODES ☐ Case cancelled prior to day of surgery			
Pre-Eval by:				ID #1		SIGNATURE	
				DATE / TIME			
PreProc Eval (Must be completed the day of surgery)							
BP	SpO2	HR	RR	Temp	NPO: Solids 8 hrs Clears 2 hrs	☐ Yes ☐ No	☐ General ☐ Regional ☐ Epidural ☐ MAC ☐ Spinal
Mallampati: ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ Unable		Teeth: ☐ Multiple missing ☐ Loose ☐ Chipped Neck ROM: ☐ Normal ☐ Limited Pulmonary: ☐ Clear/Equal Bilat ☐ Abnrm:		Dent: ☐ Full ☐ Partial ☐ Upper ☐ Lower DoS changes:		ASA ☐ E ☐ I have explained the anesthetic plan, options, and pertinent complications including when appropriate: death, severe neurologic impairment and blindness. The patient and/or legal guardian has communicated to me an understanding of both the anesthetic plan and inherent risks. Patient history reviewed. ☐ Translator present	
Normal						PreEval	
ID#		SIGNATURE		DATE		TIME	

ANESTHESIA PRE-OP

CONSENT FOR ANESTHESIA SERVICES

I acknowledge that my doctor has explained to me that I will have an operation, diagnostic or treatment procedure. My doctor has explained the risks of the procedure advised me of alternative treatments and told me about the expected outcome and what could happen if my condition remains untreated. I also understand that anesthesia services are needed so that my doctor can perform the operation or procedure.

It has been explained to me that all forms of anesthesia involve some risks and no guarantees or promises can be made concerning the results of my procedure or treatment. Although rare, unexpected severe complications with anesthesia can occur and include the remote possibility of infection, bleeding, drug reactions, blood clots,

loss of sensation, loss of limb function, paralysis, stroke, brain damage, heart attack, or death. I understand that these risks apply to all forms of anesthesia and that additional or specific risks have been identified below as they may apply to a specific type of anesthesia. I understand that the type(s) of anesthesia service checked below will be used for my procedure and that the anesthetic technique to be used is determined by many factors including my physical condition, the type of procedure my doctor is to do, his or her preference, as well as my own desire. It has been explained to me that sometimes an anesthesia technique which involves the use of local anesthetics, with or without sedation, may not succeed completely and therefore another technique may have to be used including general anesthesia.

☐ General Anesthesia	Expected Result Technique Risks	Total unconscious state, possible placement of a tube into the windpipe Drug injected into bloodstream, breathed into the lungs, or by other routes Mouth or throat pain, hoarseness, injury to mouth or teeth, awareness under anesthesia, injury to blood vessels, aspiration, pneumonia.
☐ Spinal or Epidural ☐ With sedation ☐ Without sedation	Expected Result Technique Risks	Temporary decreased or loss of feeling and/or movement to lower part of the body Drug injected through a needle/catheter placed either directly into the spinal canal or immediately outside the spinal canal Headache, backache, buzzing in the ears, convulsions, infection, persistent weakness, numbness, residual pain, injury to blood vessels, total spinal
☐ Major/ Minor Nerve Block ☐ With sedation ☐ Without sedation	Expected Result Technique Risks	Temporary loss of feeling and/or movement of a specific limb or area Drug injected near nerves providing loss of sensation to the area of the operation Infection, convulsions, weakness, persistent numbness, residual pain, injury to blood vessels
☐ Intravenous Regional Anesthesia ☐ With sedation ☐ Without sedation	Expected Result Technique Risks	Temporary loss of feeling and/or movement of a limb Drug injected into veins of arm or leg while using a tourniquet Infection, convulsions, persistent numbness, residual pain, injury to blood vessels
☐ Monitored Anesthesia Care ☐ With sedation	Expected Result Technique Risks	Reduced anxiety and pain, partial or total amnesia Drug injected into the bloodstream, breathed into the lungs, or by other routes producing a semi-conscious state An unconscious state, depressed breathing, injury to blood vessels, aspiration, pneumonia
☐ Monitored Anesthesia Care ☐ Without sedation	Expected Result Technique Risks	Measure of vital signs, availability of anesthesia provider for further intervention None Increased awareness, anxiety and/or discomfort

I hereby consent to the anesthesia service checked above and authorize that it be administered by those who are privileged to provide anesthesia services at _____.

I consent to an alternative type of anesthesia, if necessary, as deemed appropriate by them. I also consent for additional trained personnel (i.e. RT, RN, EMS) to perform tasks deemed

appropriate (i.e. Intubation, IV start, etc.) under the direct supervision of the surgeon/anesthesia provider.

I certify and acknowledge that I have read this form or had it read to me, that I understand the risks, alternatives and expected result of the anesthesia service; and that I had ample time to ask questions and to consider my decision.

SIGNATURE (Patient / Patient Representative)	DATE	TIME
Patient _____		
(PRINT)		

☐ See Spanish consent

ID	SIGNATURE (Provider)	DATE / TIME

SIGNATURE (Witness)	DATE	TIME

(PRINT)		



ANESTHESIA CONSENT

CONSENTIMIENTO PARA SERVICIOS DE ANESTESIA

Yo reconozco que mi médico me ha explicado que tendré una operación, diagnóstico o procedimiento. Mi Médico me ha explicado los riesgos del pro- cedimiento, me ha explicado los tratamientos alternativos y me ha informado sobre los resultados que se esperan, así como lo que pudiera suceder si mi condición continúa sin tratamiento alguno. Yo entiendo también que se necesitan servicios de anestesia para que mi médico pueda efectuar la cirugía o el procedimiento.

Se me ha explicado que todos los tipos de anestesia involucran ciertos riesgos y que no se pueden otorgar garantías o promesas relacionadas a los resultados de mi procedimiento o tratamiento. Aunque raramente, pueden suceder complicaciones severas con la anestesia y existe la remota posibilidad de infección, sangrado, reacción a las

drogas, coágulo de sangre, pérdida de sensación, pérdida de función en las extremidades, parálisis, embolia, daño cerebral, ataque al corazón o muerte. Yo entiendo que todos estos riesgos se aplican a todos los tipos de anestesia y que riesgos específicos o adicionales han sido identificados a continuación, al poder ellos ser aplicables a ciertos tipos de anestesia. Yo entiendo que el tipo de servicio de anestesia indicado a continuación será utilizado en mi operación y que la técnica anestésica será deter- minada basada en varios factores, incluyendo mi condición física, el tipo de procedimiento que mi médico efectuará, su preferencia, así como mi propia elección. Se me ha explicado que a veces una técnica anestésica que involucra el uso de anestésicos locales, con o sin sedación, puede no ser completamente exitosa y por lo tanto otra técnica tendrá que ser usada, incluyendo la anes. general.

☐ Anestesia General	Resultados Esperados Técnica Riesgos	Estado total inconsciente, posible colocación de un tubo dentro de la tráquea. Droga inyectada dentro del flujo sanguíneo, inhalada a los pulmones, o por otras vías. Dolor en la boca o garganta, ronquera, daño en la boca o dientes, conciencia durante la anestesia, daño a los vasos sanguíneos, aspiración, neumonía.
☐ Espinal o Epidural ☐ Con sedación ☐ Sin sedación	Resultados Esperados Técnica Riesgos	Disminución temporaria o pérdida de sensación y/o movimiento de la parte inferior del cuerpo. Drug injected through a needle/catheter placed either directly into the spinal canal or immediately outside the spinal canal Dolor de cabeza, dolor de espalda, zumbido en los oídos, convulsiones, infección, debilidad per- sistente, adormecimiento, dolor residual, daño a los vasos sanguíneos, "total espinal".
☐ Mayor/Menor Bloqueo Nervioso ☐ Con sedación ☐ Sin sedación	Resultados Esperados Técnica Riesgos	Pérdida temporal de sensación y/o movimiento de una extremidad específica o área. Droga inyectada cerca de los nervios que causa pérdida de sensación en el área de la operación. Infección, convulsiones, debilidad, persistente adormecimiento, dolor residual, daño a los vasos san- guíneos.
☐ Anestesia Regional Intravenosa ☐ Con sedación ☐ Sin sedación	Resultados Esperados Técnica Riesgos	Pérdida temporal de sensación y/o movimiento de una extremidad. Droga inyectada en las venas del brazo o pierna mientras se usa un torniquete. Infección, convulsiones, adormecimiento persistente, dolor residual, daño a los vasos
☐ Cuidado de Anestesia Monitoreado ☐ Con sedación	Resultados Esperados Técnica Riesgos	Dolor y ansiedad reducida, amnesia parcial o total. Droga inyectada dentro del fl ujo sanguíneo, inhalada a los pulmones, o por otras vías produciendo un estado semiconsciente. Un estado inconsciente, falta de aire, daño a los vasos sanguíneos.
☐ Cuidado de Anestesia Monitoreado ☐ Sin sedación	Resultados Esperados Técnica Riesgos	Medición de signos vitales, disponibilidad de un proveedor de anestesia para inmediata intervención. Ninguna. Aumento del estado de conciencia, ansiedad y/o incomodidad.

Yo doy mi consentimiento para el servicio de anestesia seleccionado en este formulario y autorizo para que sea administrado por o su asociado, quienes tienen credenciales para proveer servicios de anestesia

RN, EMS) realice las tareas que se consideren apropiadas (es decir, la intubación, el inicio IV, etc.) bajo la supervisión directa del cirujano/proveedor de anestesia.

Yo también doy mi consentimiento para el uso de un tipo alternativo de anestesia, si fuera necesario, determinado por ellos. También doy mi consentimiento para que el personal entrenado adicional (es decir, RT,

Yo certifico y admito que he leído este formulario o que ha sido leído para mí, que entiendo los riesgos, alternativas y resultados espera- dos de los servicios de anestesia y que he tenido suficiente tiempo para efectuar preguntas y considerar mi decisión.

Firma (del Paciente o del Representante)	FECHA	HORA
 (PRINT)		

Firma (del Testigo)	FECHA	HORA
(PRINT)		

☐ See English consent

ID	Firma (del Provider)	FECHA/HORA



ANESTHESIA CONSENT

AGE		HT		WT		BMI		ALLERGY		NKDA		Latex		PCN		Sulfa		TIME OUT		PREMED #1		WST		TIME	
Time																									
O2 (L/min)																									
N2O/AIR (L/min)																									
FIO2																									
IA: / E (%)																									
Current meds in record? ☐ Y ☐ N-RS ☐ N-RU																									
Safety checklist? ☐ Y ☐ N																									
☐ Pre oxygenation ☐ Rapid sequence induction ☐ Atraumatic intubation																									
☐ MASK ☐ NC ☐ ORAL ☐ NSL ☐ LMA ☐ ETT ☐ TRACH ☐ DL ☐ CUFF ☐ RAE																									
SIZE DEPTH cm BLADE GRADE ☐ Stylet Att: ☐ FO Laryngoscope ☐ FO Bronchoscope ☐ ETCO2 ☐ BBS =																									
Eyes: Oint Tape Gogls Sup Prone BC LLD RLD Litho																									
Access Ga Site IV #1 IV #2 A-Line CVP																									
☐ Br Hggr ☐ Wrm Blnk ☐ Rstv Blnk ☐ Ht Lamp ☐ Wrm Mtrs ☐ None																									
SpO2 EtCO2 ECG Temp TOF BIS																									
180 160 140 120 100 80 60 40 20 Vt																									
Mode PIP/PEEP (#)																									
Abx: Tm: Tourniquet Site: L / R TP: Up Dn TP: Up Dn ☐ OG/NG Tube: R / L Sz:____ ☐ SCDs ☐ Foot Pumps ☐ Stockings ☐ EKG ☐ SpO2 ☐ NIBP ☐ E/N CLEAR ☐ ETCO2 ☐ AGENT ☐ TEMP ☐ H/N NEUTRAL ☐ FIO2 ☐ PAC ☐ STETH ☐ UE < 90 ☐ TEE ☐ BIS ☐ PNS ☐ PPP&P																									
DATE FIRST CASE SCHED START ANES START ANES READY SURGEON SURG START SURG END LOCATION ASA E #1 ID SIGNATURE Start End Case Times Amb #2 ID SIGNATURE Start End Case Times Inpt #3 ID SIGNATURE Start End Case Times Time Units Care Model 7-steps of Medical Direction performed ☐ Y ☐ N ☐ N/A																									
POSTOP DIAGNOSIS #1 Free Text Entry POSTOP DIAGNOSIS #2 Free Text Entry PROC #1 Free Text Entry PROC #2 Free Text Entry Transferred to? Protocol Used? Extubated: Deep / Awake in OR / PACU / Other																									
PACU/ICU Arrival Now BP SpO2 HR RR TEMP ANES END Now																									

ANESTHESIA RECORD

BMI

AGE

HT

WT

ALLERGY

☐ NKDA

☐ Latex

☐ PCN

☐ Sulfa

Time

O2 (L/min)

N2O/AIR (L/min)

FIO2

IA: / E (%)

SpO2

EtCO2

ECG

Temp

TOF

BIS

Vt

Mode

PIP/PEEP

(#)

TOTAL

WST

COMMENTS

COMMENTS

EXTRA LOCATIONS										ARTERIAL LINE Code: _____ Sterile tech used: ☐ Left ☐ Right Code: _____ Indication: ☐ Hemodynamic instability anticipated ☐ Sample Analysis ☐ 20g Arrow Cath cannulated the artery, then secured with tegaderm and tape.																																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:10%;">#1</td> <td style="width:10%;"></td> <td style="width:20%;">Start</td> <td style="width:20%;"></td> <td style="width:20%;">Time Out</td> <td style="width:20%;"></td> </tr> <tr> <td>#2</td> <td></td> <td></td> <td></td> <td>☐</td> <td></td> </tr> </table>										#1		Start		Time Out		#2				☐		PROV #1																																								
#1		Start		Time Out																																																										
#2				☐																																																										
EXTRA SURGEONS										<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:10%;">#1</td> <td style="width:10%;"></td> <td style="width:20%;">Start</td> <td style="width:20%;"></td> <td style="width:20%;">Stop</td> <td style="width:20%;"></td> </tr> <tr> <td>#2</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>										#1		Start		Stop		#2																																				
#1		Start		Stop																																																										
#2																																																														
ADDITIONAL PROCEDURES										CENTRAL LINE Code: _____ Sterile tech used: ☐ Left ☐ Right Code: _____ ☐ Line placed in OR ☐ Other: _____ ☐ Catheter 7F 15 cm ☐ 9F 10cm MAC ☐ _____ ☐ Time out performed. Trendelenburg position, and 18g needle cannulated vein. Venous cannulation confirmed, dark non-pulsatile blood flow. J wire threaded through the needle then removed. Skin nick, dilator over wire and removed. Catheter threaded over the wire. Wire removed. Ports aspirated and flushed. Sutured in at _____ cm. Covered with sterile tegaderm.																																																				
ADDITIONAL ANESTHESIA PROVIDERS										PROV #1																																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:10%;">#4</td> <td style="width:10%;"></td> <td style="width:20%;">Start</td> <td style="width:20%;"></td> <td style="width:20%;">Stop</td> <td style="width:20%;"></td> </tr> <tr> <td>#5</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>#6</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>#7</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>										#4		Start		Stop		#5						#6						#7						<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:10%;">ID#</td> <td style="width:40%;">SIGNATURE</td> <td style="width:15%;">DATE</td> <td style="width:15%;">TIME</td> </tr> </table>										ID#	SIGNATURE	DATE	TIME															
#4		Start		Stop																																																										
#5																																																														
#6																																																														
#7																																																														
ID#	SIGNATURE	DATE	TIME																																																											
☐ Field Avoidance Indicator Code: _____ ☐ Deliberate Hypotension per surgeon's request Code: _____ ☐ Unusual Position Indicator Code: _____										NEURAXIAL Start: _____ End: _____ ☐ Time Out ☐ PostOp pain control per surgeon ☐ Surgical/Labor analgesia REQUESTED BY: Surg #1 U/S Used ☐ Yes ☐ No SPINAL EPIDURAL BLOCK: POSITION: Sit / LLD / RLD APPROACH: Central / Right / Left / Paramedian INTERSPACE: T10 - T11 - T12 - L1 - L2 - L3 - L4 - L5 Other: _____ PREP: Beta / Alc / HIB / CHP Draped: Y / N LOCAL WHEEL: Y / N 1% Lidocaine Vol: _____ mL NEEDLE TYPE: Epidural: Tuohy Size: 17G / 18G Spinal: Pencil Point / Cutting Size: 22G / 25G / 27G Blood: Y / N Paresth: Y / N Resolved: Y / N CSF: Y / N LOR: Air / NS at _____ cm Aspiration: Neg / Pos Test dose: Neg / Pos Code: _____																																																				
POST ANESTHESIA ASSESSMENT ☐ Unable to determine										Code: _____																																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:10%;">BP</td> <td style="width:10%;">SpO2</td> <td style="width:10%;">HR</td> <td style="width:10%;">RR</td> <td style="width:10%;">Temp</td> <td style="width:10%;"></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td style="background-color: #d4edda; text-align: center;">Normal</td> </tr> </table>										BP	SpO2	HR	RR	Temp							Normal	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:10%;">ID#</td> <td style="width:40%;">SIGNATURE</td> <td style="width:15%;">DATE</td> <td style="width:15%;">TIME</td> </tr> </table>										ID#	SIGNATURE	DATE	TIME																											
BP	SpO2	HR	RR	Temp																																																										
					Normal																																																									
ID#	SIGNATURE	DATE	TIME																																																											
PACU Pain Score ☐ Unable to Determine <table style="width:100%; text-align: center;"> <tr> <td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td> </tr> <tr> <td>0</td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td> </tr> </table>										☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	0	1	2	3	4	5	6	7	8	9	10	Medications Time Wst <table border="1" style="width:100%; border-collapse: collapse;"> <tr><td style="height: 20px;"></td><td></td><td></td></tr> <tr><td style="height: 20px;"></td><td></td><td></td></tr> <tr><td style="height: 20px;"></td><td></td><td></td></tr> <tr><td style="height: 20px;"></td><td></td><td></td></tr> <tr><td style="height: 20px;"></td><td></td><td></td></tr> <tr><td style="height: 20px;"></td><td></td><td></td></tr> <tr><td style="height: 20px;"></td><td></td><td></td></tr> </table>																														
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐																																																				
0	1	2	3	4	5	6	7	8	9	10																																																				
Alert/Patient Participate: ☐ Yes ☐ No _____ Airway Patent: ☐ Yes ☐ No _____ Hydration Adequate: ☐ Yes ☐ No _____ Pain Control Adequate: ☐ Yes ☐ No _____ PONV Controlled: ☐ Yes ☐ No _____ Anesthesia Complications: ☐ Yes ☐ No _____ ☐ It is my clinical judgment that the patient may be discharged from the PACU once discharge criteria met.										Catheter secured at: _____ cm Dressing: Tegaderm / Op-Site Sensory level adequate: Y / N Infusion Rate: _____ Block compl at: _____ Epidural D/C'd: Y / N (See RN notes for removal time) Tip intact: Y / N PROV #1																																																				
PROV #1										Free Text																																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:10%;">ID#</td> <td style="width:40%;">SIGNATURE</td> <td style="width:15%;">DATE</td> <td style="width:15%;">TIME</td> </tr> </table>										ID#	SIGNATURE	DATE	TIME	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:10%;">ID#</td> <td style="width:40%;">SIGNATURE</td> <td style="width:15%;">DATE</td> <td style="width:15%;">TIME</td> </tr> </table>										ID#	SIGNATURE	DATE	TIME																																			
ID#	SIGNATURE	DATE	TIME																																																											
ID#	SIGNATURE	DATE	TIME																																																											

ANESTHESIA RECORD -- EXTRA INFO

REGIONAL	Start:	End:	☐ Time Out		REGIONAL	Start:	End:	☐ Time Out																																																																	
☐ Block for Post op pain control / surgeon request ☐ Block for surgical anesthesia REQUESTED BY: _____ BLOCK: _____ U/S ☐ Yes ☐ No LATERALITY: ☐ Left ☐ Right ☐ Bilateral					☐ Block for Post op pain control / surgeon request ☐ Block for surgical anesthesia REQUESTED BY: _____ BLOCK: _____ U/S ☐ Yes ☐ No LATERALITY: ☐ Left ☐ Right ☐ Bilateral																																																																				
REGION MACRO POSITION: Sit / LLD / RLD / Sup / Prone PREP: Beta / Alc / HIB / CHP Draped: Y / N ☐ Full monitors used LOCAL WHEEL: Y / N Needle Size: _____G NEEDLE MANUFACTURER: _____ Size: 17 G / 20 G / 21 G / 22 G / Other: _____ Length: 80mm / 100mm / Other: _____ N Stim to _____mA (if applicable) Attempts: _____					REGION MACRO POSITION: Sit / LLD / RLD / Sup / Prone PREP: Beta / Alc / HIB / CHP Draped: Y / N ☐ Full monitors used LOCAL WHEEL: Y / N Needle Size: _____G NEEDLE MANUFACTURER: _____ Size: 17 G / 20 G / 21 G / 22 G / Other: _____ Length: 80mm / 100mm / Other: _____ N Stim to _____mA (if applicable) Attempts: _____																																																																				
☐ Catheter tunneled at: _____ Dressing: Tegaderm / Op-Site / None SUCCESS: _____ On/Q _____ Infusion Pump _____ ☐ Complete ☐ Partial ☐ Failed ☐ Eval Pending					☐ Catheter tunneled at: _____ Dressing: Tegaderm / Op-Site / None SUCCESS: _____ On/Q _____ Infusion Pump _____ ☐ Complete ☐ Partial ☐ Failed ☐ Eval Pending																																																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">Medications</th> <th style="width:10%;">Time</th> <th style="width:10%;">Wst</th> <th style="width:10%;">Photo</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>					Medications	Time	Wst	Photo																													<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:15%;">Medications</th> <th style="width:10%;">Time</th> <th style="width:10%;">Wst</th> <th style="width:10%;">Photo</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>					Medications	Time	Wst	Photo																												
Medications	Time	Wst	Photo																																																																						
Medications	Time	Wst	Photo																																																																						
COMMENTS _____ ABORTED: _____					COMMENTS _____ ABORTED: _____																																																																				
Prov #1 ID# _____ SIGNATURE _____ DATE _____ TIME _____					Prov #1 ID# _____ SIGNATURE _____ DATE _____ TIME _____																																																																				

COMMENTS

COMMENTS

COMMENTS

This work is licensed under a Creative Commons Attribution-NoDerivatives 4.0 International License. (R 08/22/2026)